

Wrocław University of Technology
Centre of Advanced Materials and Nanotechnology

Materials Science Poland

**Contents of Volume 23
Author Index
Key Word Index**

Vol. 23

•

2005



Oficyna Wydawnicza Politechniki Wrocławskiej

Editorial Office

Karol Langner

Printed in Poland

© Copyright by Oficyna Wydawnicza Politechniki Wrocławskiej, Wrocław 2005

Drukarnia Oficyny Wydawniczej Politechniki Wrocławskiej

Contents of Volume 23

No. 1

S. Kundu, S. Jana, P. K. Biswas, Quantum confinement effect of in-situ-generated Cu ₂ O in a nanostructured zirconia matrix	7
Y. Djaoued, J. Robichaud, R. Brüning, P.V. Ashrit, The effect of poly(ethylene glycol) on the crystallisation and phase transitions of nanocrystalline TiO ₂ thin films	15
M. Gnyba, M. Keränen, M. Kozanecki, B. B. Kosmowski, Raman investigation of hybrid polymer thin films	29
M. Gnyba, M. Kerän, Raman system for monitoring dye doping to hybrid polymer network	41
V. S. Gurin, A. A. Alexeenko, K. N. Kasparov, E. A. Tyavlovskaya, Incorporation of zirconia and germania and ternary compounds of ZrO ₂ -GeO ₂ into silica sol-gel matrices	49
T. Hübert, A. Shimamura, A. Klysycz, Carbon–silica sol-gel derived nanomaterials	61
V. G. Kessler, G. A. Seisenbaeva, P. Werndrup, S. Parola, G. I. Spijksma, Design of molecular structure and synthetic approaches to single-source precursors in the sol-gel technology	69
J. Michalski, T. Wejrzanowski, R. Pielaszek, K. Konopka, W. Łojkowski, K. J. Kurzydłowski, Application of image analysis for the characterization of powders	79
R. Kornak, D. Niznansky, K. Haimann, W. Tylus, K. Maruszewski, Synthesis of magnetic nanoparticles via the sol-gel technique	87
B. Kościelska, L. Murawski, L. Wicikowski, Electrical and mechanical properties of nitrided sol-gel derived TiO ₂ and SiO ₂ -TiO ₂ films	93
J. C. Pivin, Formation of nanostructures with a controlled size distribution in Si-based gels by ion irradiation	101
A. Ulatowska-Jarża, U. Bindig, H. Podbielska, I. Hołowacz, W. Stręk, G. Müller, H. J. Eichler, Spectroscopic properties of chlorophyll-based photosensitive dye entrapped in sol-gel fibre-optic applicators	111
R. Sindut, K. Cholewa-Kowalska, J. Najman, M. Łączka, A. M. Osyczka, P. Leboy, Bioactive glass coatings	123
E. Szałkowska, J. Masalski, B. Kucharska, J. Gluszek, The effect of heat treatment of TiO ₂ coatings obtained by the sol-gel method on the corrosion resistance of chromium steel	137
I. Zaręba-Grodź, W. Miśta, A. Sikora, T. Gotszalk, W. Stręk, K. Hermanowicz, K. Maruszewski, Textural properties of silica-based organic-inorganic polymer hybrid xerogels	147
A. Zarycka, R. Zachariasz, J. Ilczuk, A. Chrobak, Internal friction related to the mobility of domain walls in sol-gel derived PZT ceramics	159
A. Zarycka, A. Lisińska-Czekaj, J. Czuber, T. Orkisz, J. Ilczuk, D. Czekaj, The sol-gel synthesis of bismuth titanate electroceramic thin films	167
E. Źelazowska, E. Rysiakiewicz-Pasek, M. Borczuch-Łączka, Sol-gel derived Li-ion conducting polymer electrolytes	177
A. Mirończyk, A. Jankowski, A. Chyla, A. Ozyhar, P. Dobryszycki, The influence of ammonia, acetic acid and water vapour on the fluorescence of a 2-naphthol derivative in the Langmuir-Blodgett films	195

G. Paściak, J. Chmielowiec, P. Bujło, New ceramic superionic materials for IT-SOFC applications	209
M. Górska , H. Wrzesińska, A. Szerling, K. Hejduk, J. M. Łysko, HBV deep mesa etching in InGaAs/InAlAs/AlAs heterostructures on InP substrate	221
C. J. Paul, S. Gopakumar, M. R. Gopinathan Nair, Segmented block copolymers of natural rubber and 1, 4-butanediol-toluene diisocyanate oligomers	227
A. N. Trefilova, I. V. Korionov, A. N. Babushkin, W. Łojkowski, A. Opalińska, Correlation between high-pressure electrical properties of ZrO_2 and its crystallite sizes	247
A. M. Klonkowski, I. Szałkowska, Functions of Eu^{3+} ions in materials with CdS nanoparticles and oxide matrices	253
P. Mazur, Hreniak D., J. Niittykoski, W. Stręk, J. Hölsä, Formation of nanostructured Tb^{3+} -doped yttrium aluminium garnets by the glycol route	261
V. K. Sachdev, N.K. Srivastava, K. Kumar, R.M. Mehra, Pre-localized graphite/polyvinyl chloride composites for electromagnetic interference shielding in the X-band frequency range	269
M. Lewandowska, H. Garbacz, W. Pachla, A. Mazur, K. J. Kurzydłowski, Grain refinement in aluminium and the aluminium Al–Cu–Mg–Mn alloy by hydrostatic extrusion	279
V. N. Kokozay, D. V. Shevchenko, Direct synthesis as a new approach to heteropolynuclear complexes	287

No. 2

From the Guest Editors	323
E. Wimmer, The growing importance of computations in materials science. Current capabilities and perspectives	325
S. Müller, Structure and stability of binary metal alloys. Precipitation treated via ab-initio calculations	347
K. Parliński, First-principles calculations of vibrational and thermodynamical properties of solids	357
W. Wolf, J. Sticht, A. Mavromaras, B. Leblanc, P. Saxe, E. Wimmer, Vibrational properties and thermochemistry from first principles	365
M. Kohno, X. Wan, X. Hu, Magnetic and electronic properties of a new ferrimagnet $Sr_8CaRe_3Cu_4O_{24}$	375
J. Nara, W. T. Geng, H. Kino, N. Kobayashi, T. Ohno, Theoretical study of electron transport properties of an organic molecule	383
W. Hahn, Specific heat related to details of the vibrational modes for a 2D nanocrystalline material	389
M. Ikeda, G. Kresse, T. Nabatame, A. Toriumi, First principles molecular dynamics simulations for amorphous HfO_2 and $Hf_{1-x}Si_xO_2$ systems	401
R. Sot, K. J. Kurzydłowski, Atomic modelling of point defects in B2-RuAl	407
P. García-Mochales, P. A. Serena, C. Guerrero, E. Medina, A. Hasmy, Atomic configurations of breaking nanocontacts of aluminium and nickel	413
A. Dawid, M. Sokół, Z. Gburski, Dynamical properties of $C_{60}(H_2O)_{50}$ mixture cluster. Molecular dynamics simulation	421
P. Raczyński, A. Dawid, M. Sokół, Z. Gburski, Molecular dynamics of cholesterol in a thin film surrounding a carbon nanotube	429
P. Raczyński, A. Dawid, Z. Gburski, Molecular dynamics study of the fullerene–cholesterol mixture cluster	441
M. Skrzypek, P. Brol, Z. Gburski, Depolarized light scattering from a thin fullerene layer confined between graphite planes. Molecular dynamics study	447
M. Skrzypek, Z. Gburski, Fullerene layers between graphite walls. A computer simulation	453

Z. Dendzik, M. Kośmider, A. Dawid, K. Kaczor, Z. Gburski, Interaction-induced depolarized light scattering spectra of exohedral complexes of Ne and Ar with fullerenes and nanotubes	457
Z. Dendzik, M. Kośmider, S. Pałucha, P. Brol, Z. Gburski, Dynamics of the exohedral complex composed of Ar atomic film adsorbed on the surface of single-walled carbon nanotube. Computer simulation study	467
M. Kośmider, M. Sokół, Z. Dendzik, Z. Gburski, Structural and dynamic properties of water confined inside a single-walled carbon nanotube. Molecular dynamics study	475
P. Brol, S. Pałucha, M. Skrzypek, Z. Gburski, Simulations of molecular dynamics of cyanoadamantane multilayers between graphite substrates	483
S. Pałucha, P. Brol, Z. Gburski, Computer simulation study of solid C ₆₀ doped by hydrogen cyanide molecules	491
B. Heidberg, T. Bredow, K. Littmann, K. Jug, Ceramic hydration with expansion. The structure and reaction of water layers on magnesium oxide. A cyclic cluster study	501
S. Mariani, A. Pandolfi, R. Pavani, Coupled space-time multiscale simulations of dynamic delamination tests	509
K. Borysovská, V. Slyunyyayev, Yu. Podrezov, Z. Pakiela, K. J. Kurzydłowski, Influence of the dislocation structure on the crack tip in highly deformed iron	521
A. Boczkowska, K. Konopka, K. Babski, G. Krzesiński, K. J. Kurzydłowski, Finite element modelling of the residual stresses in the ceramic-elastomer composites	529
M. Ambrožič, A. Dakskobler, M. Valant, T. Kosmač, Percolation threshold model and its application to the electrical conductivity of layered BaTiO ₃ –Ni	535
H. Hermann, A. Elsner, T. Gemming, Influence of the packing effect on stability and transformation of nanoparticles embedded in random matrices	541
E. Kaczmarek, A. Surdacka, T. Matthews-Brzozowska, B. Miśkowiak, Digital image analysis and visualization of early caries changes in human teeth	551
A. Szczotok, S. Roskosz, New possibilities of light microscopy research resulting from digital recording of images	559
S. Stach, J. Cwajna, S. Roskosz, J. Cybo, Multifractal description of fracture morphology: Quasi-3D analysis of fracture surface	567
S. Stach, J. Cybo, J. Cwajna, S. Roskosz, Multifractal description of fracture morphology. Full 3D analysis of a fracture surface	577
J. Wawszczak, Methods for estimating the Hurst exponent. The analysis of its value for fracture surface research	585

No. 3

Professor Marian Kryszewski 1925–2005	585
R. Sot, K. J. Kurzydłowski, <i>Ab initio</i> calculations of elastic properties of Ni ₃ Al and TiAl under pressure	587
P. Raczyński, S. Pałucha, P. Brol, Z. Gburski, Molecular dynamics of hypoxanthine-3-N-oxide near fullerene “sphere” – a computer simulation	591
P. Raczyński, Z. Gburski, The search for minimum potential energy structures of small atomic clusters. Application of the ant colony algorithm	599
W. Klonowski, E. Olejarczyk, R. Stępień, A new simple fractal method for nanomaterials science and nanosensors	607
J. Sosnowski, Dynamic vortex motion in anisotropic HTc superconductors	613
Ł. Gelczuk, M. Dąbrowska-Szata, G. Jóźwiak, Distinguishing and identifying point and extended defects in DLTS measurements	625

Le Jiang, H. Geisler, E. Zschech, Quantitative mapping of the elastic properties of electron-beam damaged silica-based low- <i>k</i> films	643
K. Nauka, Z. Li, T.I. Kamins, Surface photovoltage in silicon. Novel applications for chemical and biological sensing	653
P. Piszczeck, A. Grodzicki, M. Richert, A. Radtke, Thermal properties of multinuclear Ti(IV) and Zr(IV) carboxylate derivatives using thermal analysis and variable temperature MS and IR methods	663
R. Szczęsny, I. Szymańska, P. Piszczeck, L. Dobrońska, E. Szłyk, Chemical vapour deposition (CVD) of metallic layers prepared from silver carboxylates complexes with tertiary phosphines	671
V. S. Vikhnin, T.I. Maksimova, J. Hanuza, Molecular impurity ions as centres with charge transfer degrees of freedom. Influence on ferroelectric phase transitions	677
P. Sagar, M. Kumar, R.M. Mehra, Electrical and optical properties of sol-gel derived ZnO:Al thin films	685
J. Plocek, A. Hutlová, D. Nižnanský, J. Buršík, J.-L. Rehspringer, Z. Mička, Preparation of CuFe ₂ O ₄ /SiO ₂ nanocomposite by the sol-gel method	697
S. Mammen, C.S. Menon, N.V. Unnikrishnan, Electrical and optical studies on thin films of indium phthalocyanine chloride	707
V. Janickis, R. Maciulevičius, R. Ivanauskas, I. Ancutienė, Study of copper sulfide layers on a polyamide film formed by the use of higher polythionic acids	715
T. Ohmura, W. Mori, T. Takei, T. Ikeda, A. Maeda, Structure and magnetic behaviour of mono-nuclear and dinuclear Cu(II)/Zn(II) monocarboxylate-pyridine derivatives studied by crystal engineering	729
B. Žurowska, J. Mroziński, Isomeric forms of Cu(quinoline-2-carboxylate) ₂ ·H ₂ O. Spectroscopic and magnetic properties	737
O. Shkurenko, V. Kinzhybalo, T. Lis, Z. Ciunik, M. Mys'kiv, Coordination behaviour of N,N'-diallyl-piperazinium(2+) and N-allylhexamethylenetetraminium in their crystalline π-complexes with ionic copper(I) salts	745
A. B. Burdukov, E.V. Mokina, Y.G. Shvedenkov, V.A. Reznikov, G.I. Roschupkina, G.V. Romanenko, Metal complexes of pyrrolidine-N-oxide dioxime	757
D. Yoshioka, M. Handa, M. Mikuriya, I. Hiromitsu, K. Kasuga, Polynuclear chain complexes of ruthenium(II, III) pivalate dimers linked by 2,5-dimethyl- <i>N,N'</i> -dicyanobenzoquinonediimine, 1,4-benzoquinone and 1,4-naphthoquinone	765
M. Mikuriya, K. Matsunami, Synthesis and structural characterization of a series of transition metal complexes with a tetradentate Schiff-base ligand derived from salicylaldehyde and 2-(2-aminoethylamino)ethanol	773
V. Sasnauskas, D. Palubinskaitė, The synthesis of hydrosodalite and its use in mortar technology	793
H. Matysiak, Ł. Ciupiński, A. Olszyna, K. J. Kurzydłowski, Multilayer Al ₂ O ₃ /Mo composites	803
D. Waszak, E. Frąckowiak, The effect of the reactive milling of graphite with boron nitride, tin and antimony on lithium insertion	813
S. N. Kulkarni, K. Radhakrishna, Evaluation of metal-mould interfacial heat transfer during the solidification of aluminium- 4.5% copper alloy castings cast in CO ₂ -sand moulds	821
M. Kulczyk, W. Pachla, A. Mazur, R. Diduszko, H. Garbacz, M. Lewandowska, W. Łojkowski, K. J. Kurzydłowski, Microstructure and mechanical properties of nickel deformed by hydrostatic extrusion	839
No. 4	
J. Devreese, Contributions of George J. Papadopoulos	851
H. Pfñür, V. Zielasek, Ch. Tegenkamp, T. Block, Z. Kallassy, Geometrical and electronic properties of ultra thin epitaxial metal nanowires on flat and vicinal Si surfaces	861
A. Modinos, N. Stefanou, Photonic crystals: a novel class of functional materials	877

A. Bezkrovnyi, N. Guskos, J. Typek, N.Yu. Ryabova, M. Bosacka, A. Blonska-Tabero, M. Kurzawa, I. Rychlowska-Himmel, G. Zolnierkiewicz, Neutron diffraction study of $Mn_3Fe_4V_6O_{24}$	883
I. A. Hadjiagapiou, A. Malakis, S.S. Martinos, Inverse-range-parameter dependence of gas-liquid nucleation in a Yukawa fluid. A density functional approach	891
T. Bodziony, N. Guskos, A. Biedunkiewicz, J. Typek, R. Wróbel, M. Maryniak, Characterization and EPR studies of TiC and TiN ceramics at room temperature	899
L. Licea-Jiménez, R W. Rychwalski, Novel nanocomposites using carbon nanotubes and melamine-formaldehyde	909
R. J. Kaleńczuk, M. Lewicki, Preparation and characterization of nanocarbons for hydrogen storage	915
N. Guskos, J. Typek, G. Zolnierkiewicz, A. Blonska-Tabero, M. Kurzawa, M. Bosacka, Magnetic resonance study of $M_3Fe_4V_6O_{24}$ ($M = Mg, Zn, Mn, Cu, Co$) compounds	923
J. Typek, J. Kostrzewska, N. Guskos, Synthesis and ESR study of $(Tb_xY_{1-x})_2Cu_2O_5$ solid solutions	929
U. Narkiewicz, I. Kucharewicz, W. Arabczyk, S. Lenart, Carburisation of nanocrystalline iron with ethylene	939
A. C. Malakis, I. A. Hadjiagapiou, S. S. Martinos, N. G. Fytas, Finite-size analysis via the critical energy-subspace method in the Ising models	947
N. Guskos, J. Typek, G. J. Papadopoulos, M. Maryniak, K. Aidinis, The linewidths and integrated intensities of the d-d transitions in photoacoustic spectra of polyamine copper(II) complexes	955
R. Z. Rogowski, The kinetics of nucleation in inhomogeneous media based on the classical Avrami model	961
N. Guskos, J. Typek, M. Maryniak, Z. Roslaniec, D. Petridis, M. Kwiatkowska, FMR study of γ - Fe_2O_3 magnetic nanoparticles in a multiblock poly(ether-ester) copolymer matrix	971
V. V. Novikov, K.W. Wojciechowski, O.A. Komkova, T. Thiel, Anomalous relaxation in dielectrics. Equations with fractional derivatives	977
G. E. Zardas, P.H. Yannakopoulos, Ch.I. Symeonides, O. Csabay, P. C. Euthymiou, Persistent photoconductivity in a InP:Fe single layer structure at room temperature	985
G. Bergmański, M. Białoskórski, M. Rychcik-Leyk J. Rybicki, Structure recognition in MD-simulated materials. A case study of BO_3 triangles in borate glasses	989
N. Guskos, J. Typek, M. Maryniak, U. Narkiewicz, I. Kucharewicz, R. Wróbel, FMR study of agglomerated nanoparticles in a Fe_3C/C system	1001
S. P. Kruchinin , V.F. Klepikov, V.E. Novikov, D.S. Kruchinin, Nonlinear current oscillations in the fractal Josephson junction	1009
Z. Czech, R. Milker, Development trends in pressure-sensitive adhesive systems	1015
I. E.Lipiński, J. Kuriata, Some implications of the nonlinear properties of SASD crystals	1023
N. Guskos, D.G. Paschalidis, J. Majszczyk, J. Typek, M. Maryniak, Photoacoustic study of a new neodymium(III) hydrazone complex	1029
B. Padlyak, J. Kornatowski, G. Zadrożna, K. Fabisiak, A. Gutsze , EPR study of chromium centres in CrAPO-5 molecular sieves	1035
J. Typek, E. Filipek, M. Maryniak, N. Guskos, Magnetic resonance study of $SbVO_5$ thermal decomposition products	1047
T. Bodziony, N. Guskos, J. Typek, Z. Roslaniec, U. Narkiewicz, M. Kwiatkowska, M. Maryniak, Temperature dependence of the FMR spectra of Fe_3O_4 and Fe_3C nanoparticle magnetic systems in copolymer matrices	1055

Author Index^{*}

Aidinis K. see Guskos N.	955/4
Alexeenko A. A. see Gurin V. S.	49/1
Ambrožič M., Dakskobler A., Valant M., Kosmač T., Percolation threshold model and its application to the electrical conductivity of layered BaTiO ₃ –Ni	535/2
Ancutienė I. see Janickis V.	715/3
Arabczyk W. see Narkiewicz U.	939/4
Ashrit P.V. see Djaoued Y.	15/1
Babski K. see Boczkowska A.	529/2
Babushkin A. N. see Trefilova A. N.	247/1
Bergmański G., Białoskórski M., Rychcik-Leyk M., Rybicki J., Structure recognition in MD-simulated materials. A case study of BO ₃ triangles in borate glasses	989/4
Bezkrovnyi A., Guskos N., Typek J., Ryabova N.Yu., Bosacka M., Blonska-Tabero A., Kurzawa M., Rychlowska-Himmel I., Zolnierkiewicz G., Neutron diffraction study of Mn ₃ Fe ₄ V ₆ O ₂₄	883/4
Białoskórski M. see Bergmański G.	989/4
Biedunkiewicz A. see Bodziony T.	899/4
Bindig U. see Ulatowska-Jarża A.	111/1
Biswas P. K. see Kundu S.	7/1
Block T. see Pfñür H.	861/4
Blonska-Tabero A. see Bezkrovnyi A.	883/4
Blonska-Tabero A. see Guskos N.	923/4
Boczkowska A., Konopka K., Babski K., Krzesiński G., Kurzydłowski K. J., Finite element modelling of the residual stresses in the ceramic-elastomer composites	529/2
Bodziony T., Guskos N., Biedunkiewicz A., Typek J., Wróbel R., Maryniak M., Characterization and EPR studies of TiC and TiN ceramics at room temperature	899/4
Bodziony T., Guskos N., Typek J., Rosłaniec Z., Narkiewicz U., Kwiatkowska M., Maryniak M., Temperature dependence of the FMR spectra of Fe ₃ O ₄ and Fe ₃ C nanoparticle magnetic systems in copolymer matrices	1055/4
Borcuch-Łączka M. see Żelazowska E.	177/1
Borysovská K., Slyunayev V., Podrezov Yu., Pakiela Z., Kurzydłowski K., Influence of the dislocation structure on the crack tip in highly deformed iron	521/2
Bosacka M. see Bezkrovnyi A.	883/4
Bosacka M. see Guskos N.	923/4
Bredow T. see Heidberg B.	501/2
Brol P. see Dendzik Z.	467/2
Brol P., Pałucha S., Skrzypek M., Gburski Z., Simulations of molecular dynamics of cyanoadductane multilayers between graphite substrates	483/2
Brol P. see Pałucha S.	491/2
Brol P. see Raczyński P.	591/3
Brüning R. see Djaoued Y.	15/1
Bujto P. see Paściak G.	209/1
Burdakov A.B., Mokina E.V., Shvedenkov Y.G., Reznikov V.A., Roschupkina G.I., Romanenko G.V., Metal complexes of pyrroline-N-oxide dioxime	757/3

*Page number/Issue number.

Buršík J. see Plocek J.	697/3
Chmielowiec J. see Paściak G.	209/1
Cholewa-Kowalska K. see Sindut R.	123/1
Chyla A. see Mirończyk A.	195/1
Ciunik Z. see Shkurenko O.	745/3
Ciupiński Ł. see Matysiak H.	803/3
Csabay O. see Zardas G.E.	985/4
Cwajna J. see Stach S.	567/2
Cwajna J. see Stach S.	577/2
Cybo J. see Stach S.	567/2
Cybo J. see Stach S.	577/2
Czech Z., Milker R., Development trends in pressure-sensitive adhesive systems	1015/4
Czekaj D. see Zarycka A.	167/1
Czuber J. see Zarycka A.	167/1
Dąbrowska-Szata M. see Gelczuk Ł.	625/3
Daksłobler A. see Ambrožič M.	535/2
Dawid A., Sokół M., Gburski Z., Dynamical properties of $C_{60}(H_2O)_{50}$ mixture cluster. Molecular dynamics simulation	421/2
Dawid A. see Raczyński P.	429/2
Dawid A. Raczyński P.	441/2
Dawid A. see Dendzik Z.	457/2
Dendzik Z., Kośmider M., Dawid A., Kaczor K., Gburski Z., Interaction-induced depolarized light scattering spectra of exohedral complexes of Ne and Ar with fullerenes and nanotubes	457/2
Dendzik Z., Kośmider M., Pałucha S., Brol P., Gburski Z., Dynamics of the exohedral complex composed of Ar atomic film adsorbed on the surface of single-walled carbon nanotube. Computer simulation study	467/2
Dendzik Z. see Kośmider M.	475/2
Devreese J.T., Contributions of George J. Papadopoulos	851/4
Diduszko R. see Kulczyk M.	839/3
Djaoued Y., Robichaud J., Brüning R., Ashrit P. V., The effect of poly(ethylene glycol) on the crystallisation and phase transitions of nanocrystalline TiO_2 thin films	15/1
Dobryszycki P. see Mirończyk A.	195/1
Dobrańska L. see Szczęsny R.	671/3
Eichler H. J. see Ulatowska-Jarża A.	111/1
Elsner A. see Hermann H.	541/2
Euthymiou P.C. see Zardas G.E.	985/4
Fabisiaik K. see Padlyak B.	1035/4
Filipek E. see Typek J.	1047/4
Frąckowiak E. see Waszak D.	813/3
Fytas N.G. see Malakis A.C.	947/4
Garbacz H. see Lewandowska M.	279/1
Garbacz H. see Kulczyk M.	839/3
García-Mochales P., Serena P.A., Guerrero C., Medina E., Hasmy A., Atomic configurations of breaking nanocontacts of aluminium and nickel	413/2
Gburski Z. see Dawid A.	421/2
Gburski Z. see Raczyński P.	429/2
Gburski Z. see Skrzypek M.	447/2
Gburski Z. see Dendzik Z.	457/2
Gburski Z. see Dendzik Z.	467/2
Gburski Z. see Kośmider M.	475/2

Gburksi Z. see Brol P.	483/2
Gburksi Z. see Pałucha S.	491/2
Gburksi Z. see Raczyński P.	591/3
Gburksi Z. see Raczyński P.	599/3
Geisler H. see Jiang Le	643/3
Gelczuk Ł., Dąbrowska-Szata M., Jóźwiak G., Distinguishing and identifying point and extended defects in DLTS measurements	625/3
Gemmig T. see Hermann H.	541/2
Geng W. T. see Nara J.	383/2
Gluszek J. see Szałkowska E.	137/1
Gnyba M., Keränen M., Kozanecki M., Kosmowski B. B., Raman investigation of hybrid polymer thin films	29/1
Gnyba M., Kerän M., Raman system for monitoring dye doping to hybrid polymer network	41/1
Gopakumar S. see Paul C. J.	227/1
Gopinathan Nair M. R. see Paul C. J.	227/1
Górnska M., Wrzesińska H., Szerling A., Hejduk K., Łysko J. M., HBV deep mesa etching in InGaAs/InAlAs/AlAs heterostructures on InP substrate	221/1
Gotszalk T. see Zaręba-Grodź I.	147/1
Grodzicki A. see Piszczełek P.	663/3
Guerrero C. see García-Mochales P.	413/2
Gurin V. S., Alexeenko A. A., Kasparov K. N., Tyavlovskaya E. A., Incorporation of zirconia and germania and ternary compounds of ZrO_2 - GeO_2 into silica sol-gel matrices	49/1
Guskos N. see Bezkrovnyi A.	883/4
Guskos N. see Bodziony T.	899/4
Guskos N., Typek J., Zolnierkiewicz G., Blonska-Tabero A., Kurzawa M., Bosacka M., Magnetic resonance study of $M_3Fe_4V_6O_{24}$ ($M = Mg, Zn, Mn, Cu, Co$) compounds	923/4
Guskos N. see Typek J.	929/4
Guskos N., Typek J., Papadopoulos G.J., Maryniak M., Aidinis K., The linewidths and integrated intensities of the d-d transitions in photoacoustic spectra of polyamine copper(II) complexes	955/4
Guskos N., Typek J., Maryniak M., Roslaniec Z., Petridis D., Kwiatkowska M., FMR study of $\gamma-Fe_2O_3$ magnetic nanoparticles in a multiblock poly(ether-ester) copolymer matrix	971/4
Guskos N., Typek J., Maryniak M., Narkiewicz U., Kucharewicz I., Wróbel R., FMR study of agglomerated nanoparticles in a Fe_3C/C system	1001/4
Guskos N., Paschalidis D.G., Majszczyk J., Typek J., Maryniak M., Photoacoustic study of a new neodymium(III) hydrazone complex	1029/4
Guskos N. see Typek J.	1047/4
Guskos N. see Bodziony T.	1055/4
Gutsze A. see Padlyak B.	1035/4
Hadjigapiou I.A., Malakis A., Martinos S.S., Inverse-range-parameter dependence of gas-liquid nucleation in a Yukawa fluid. A density functional approach	891/4
Hadjigapiou I.A. see Malakis A.C.	947/4
Hahn W., Specific heat related to details of the vibrational modes for a 2D nanocrystalline material	389/2
Haimann K. see Kornak R.	87/1
Handa M. see Yoshioka D.	765/3
Hanuza J. see Vikhnin V. S.	677/3
Hasmy A. see García-Mochales P.	413/2
Heidberg B., Bredow T., Littmann K., Jug K., Ceramic hydration with expansion. The structure and reaction of water layers on magnesium oxide. A cyclic cluster study	501/2
Hejduk K. see Górska M.	221/1

Hermann H., Elsner A., Gemming T., Influence of the packing effect on stability and transformation of nanoparticles embedded in random matrices	541/2
Hermanowicz K. see Zaręba-Grodź I.	147/1
Hiromitsu I. see Yoshioka D.	765/3
Hołowacz I. see Ulatowska-Jarża A.	111/1
Hölsä J. see Mazur P.	261/1
Hreniak D. see Mazur P.	261/1
Hu X. see Kohno M.	375/2
Hübert T., A. Shimamura, A. Klysycz, Carbon–silica sol-gel derived nanomaterials	61/1
Hutlová A. see Plocek J.	697/3
Ikeda M., Kresse G., Nabatame T., Toriumi A., First principles molecular dynamics simulations for amorphous HfO_2 and $\text{Hf}_{1-x}\text{Si}_x\text{O}_2$ systems	401/2
Ikeda T. see Ohmura T.	729/3
Ilczuk J. see Zarycka A.	167/1
Ivanauskas R. see Janickis V.	715/3
Jana S. see Kundu S.	7/1
Janickis V., Maciulevičius R., Ivanauskas R., Ancutienė I., Study of copper sulfide layers on a polyamide film formed by the use of higher polythionic acids	715/3
Jankowski A. see Mirończyk A.	195/1
Jiang Le, Geisler H., Zschech E., Quantitative mapping of the elastic properties of electron-beam damaged silica-based low- k films	643/3
Jóźwiak G. see Gelczuk Ł.	625/3
Jug K. see Heidberg B.	501/2
Kaczmarek E., Surdacka A., Matthews-Brzozowska T., Miśkowiak B., Digital image analysis and visualization of early caries changes in human teeth	551/2
Kaczor K. see Dendzik Z.	457/2
Kaleńczuk R.J., Lewicki M., Preparation and characterization of nanocarbons for hydrogen storage	915/4
Kallassy Z. see Pfnnür H.	861/4
Kamins T.I. see Nauka K.	653/3
Kasparov K. N. see Gurin V. S.	49/1
Kasuga K. see Yoshioka D.	765/3
Kerän M. see Gnyba M.	41/1
Keränen M. see Gnyba M.	29/1
Kessler V. G., Seisenbaeva G. A., Werndrup P., Parola S., Spijksma G. I., Design of molecular structure and synthetic approaches to single-source precursors in the sol-gel technology	69/1
Kino H. see Nara J.	383/2
Kinzhylalo V. see Shkurenko O.	745/3
Klepikov V.F. see Kruchinin S.P.	1009/4
Klonkowski A. M., Szałkowska I., Functions of Eu^{3+} ions in materials with CdS nanoparticles and oxide matrices	253/1
Klonkowski W., Olejarczyk E., Stępień R., A new simple fractal method for nanomaterials science and nanosensors	607/3
Kobayashi N. see Nara J.	383/2
Kohno M., Wan X., Hu X., Magnetic and electronic properties of a new ferrimagnet $\text{Sr}_8\text{CaRe}_3\text{Cu}_4\text{O}_{24}$	375/2
Kokozay V.N., Shevchenko D.V., Direct synthesis as a new approach to heteropolynuclear complexes	287/1
Komkova O.A. see Novikov V.V.	977/4
Konopka K. see Michalski J.	79/1
Konopka K. see Boczkowska A.	529/2

Korionov I. V. see Trefilova A. N.	247/1
Kornak R., Niznansky D., Haimann K., Tylus W., Maruszewski K., Synthesis of magnetic nanoparticles via the sol-gel technique	87/1
Kornatowski J. see Padlyak B.	1035/4
Kościelska B., Murawski L., Wicikowski L., Electrical and mechanical properties of nitrided sol-gel derived TiO ₂ and SiO ₂ -TiO ₂ films	93/1
Kosmač T. see Ambrožič M.	535/2
Kośmider M. see Dendzik Z.	457/2
Kośmider M. see Dendzik Z.	467/2
Kośmider M., Sokół M., Dendzik Z., Gburski Z., Structural and dynamic properties of water confined inside a single-walled carbon nanotube. Molecular dynamics study	475/2
Kosmowski B. B. see Gnyba M.	29/1
Kostrzewska J. see Typek J.	929/4
Kozanecki M. see Gnyba M.	29/1
Kresse G. see Ikeda M.	401/2
Kruchinin D.S. see Kruchinin S.P.	1009/4
Kruchinin S.P., Klepikov V.F., Novikov V.E., Kruchinin D.S., Nonlinear current oscillations in the fractal Josephson junction	1009/4
Krzesiński G. see Boczkowska A.	529/2
Kucharewicz I. see Narkiewicz U.	939/4
Kucharewicz I. see Guskos N.	1001/4
Kucharska B. see Szałkowska E.	137/1
Kulczyk M., Pachla W., Mazur A., Diduszko R., Garbacz H., Lewandowska M., Łojkowski W., Kurzydłowski K. J. J., Microstructure and mechanical properties of nickel deformed by hydrostatic extrusion	839/3
Kulkarni S. N., Radhakrishna K., Evaluation of metal-mould interfacial heat transfer during the solidification of aluminium- 4.5% copper alloy castings cast in CO ₂ -sand moulds	821/3
Kumar K. see Sachdev V.K.	269/1
Kumar M. see Sagar P.	685/3
Kundu S., Jana S., Biswas P. K., Quantum confinement effect of in-situ-generated Cu ₂ O in a nanostructured zirconia matrix	7/1
Kuriata J. see Lipiński I.E.	1023/4
Kurzawa M. see Bezkrovnyi A.	883/4
Kurzawa M. see Guskos N.	923/4
Kurzydłowski K. J. see Michalski J.	79/1
Kurzydłowski K. J. see Lewandowska M.	279/1
Kurzydłowski K. J. see Sot R.	407/2
Kurzydłowski K. J. see Borysovská K.	521/2
Kurzydłowski K. J. see Boczkowska A.	529/2
Kurzydłowski K. J. see Sot R.	587/3
Kurzydłowski K. J. see Matysiak H.	803/3
Kurzydłowski K. J. see Kulczyk M.	839/3
Kwiatkowska M. see Bodziony T.	1055/4
Kwiatkowska M. see Guskos N.	971/4
Łączka M. see Sindut R.	123/1
Leblanc B. see Wolf W.	365/2
Leboy P. see Sindut R.	123/1
Lenart S. see Narkiewicz U.	939/4
Lewandowska M. see Kulczyk M.	839/3

Lewandowska M., Garbacz H., Pachla W., Mazur A., Kurzydłowski K. J., Grain refinement in aluminium and the aluminium Al–Cu–Mg–Mn alloy by hydrostatic extrusion	279/1
Lewicki M. see Kaleńczuk R.J.	915/4
Li Z. see Nauka K.	653/3
Licea-Jiménez L., Rychwalski R.W., Novel nanocomposites using carbon nanotubes and melamine-formaldehyde	909/4
Lipiński I.E., Kuriata J., Some implications of the nonlinear properties of SASD crystals	1023/4
Lis T. see Shkurenko O.	745/3
Lisińska-Czekaj A. see Zarycka A.	167/1
Littmann K. see Heidberg B.	501/2
Łojkowski W. see Michalski J.	79/1
Łojkowski W. see Trefilova A. N.	247/1
Łojkowski W. see Kulczyk M.	839/3
Łysko J. M. see Górska M.	221/1
Maciulevičius R. see Janickis V.	715/3
Maeda A. see Ohmura T.	729/3
Majszczyk J. see Guskos N.	1029/4
Maksimova T. I. see Vikhnin V. S.	677/3
Malakis A. see Hadjiagapiou I.A.	891/4
Malakis A.C., Hadjiagapiou I.A., Martinos S.S., Fytas N.G., Finite-size analysis via the critical energy-subspace method in the Ising models	947/4
Mammen S., Menon C.S., Unnikrishnan N.V., Electrical and optical studies on thin films of indium phthalocyanine chloride	707/3
Mariani S., Pandolfi A., Pavani R., Coupled space-time multiscale simulations of dynamic delamination tests	509/2
Martinos S.S. see Hadjiagapiou I.A.	891/4
Martinos S.S. see Malakis A.C.	947/4
Maruszewski K. see Kornak R.	87/1
Maruszewski K. see Zaręba-Grodź I.	147/1
Maryniak M. see Bodziony T.	899/4
Maryniak M. see Guskos N.	955/4
Maryniak M. see Guskos N.	971/4
Maryniak M. see Guskos N.	1001/4
Maryniak M. see Guskos N.	1029/4
Maryniak M. see Typek J.	1047/4
Maryniak M. see Bodziony T.	1055/4
Masalski J. see Szałkowska E.	137/1
Matsunami K. see Mikuriya M.	773/3
Matthews-Brzozowska T. see Kaczmarek E.	551/2
Matysiak H., Ciupiński Ł., Olszyna A., Kurzydłowski K. J., Multilayer Al ₂ O ₃ /Mo composites	803/3
Mavromaras A. see Wolf W.	365/2
Mazur A. see Lewandowska M.	279/1
Mazur A. see Kulczyk M.	839/3
Mazur P., Hreniak D., Niittykoski J., Stręk W., Hölsä J., Formation of nanostructured Tb ³⁺ -doped yttrium aluminium garnets by the glycol route	261/1
Medina E. see García-Mochales P.	413/2
Mehra R.M. see Sachdev V.K.	269/1
Mehra R.M. see Sagar P.	685/3
Menon C.S. see Mammen S.	707/3

Michalski J., Wejrzanowski T., Pielaszek R., Konopka K., Łojkowski W., Kurzydłowski K. J., Application of image analysis for the characterization of powders	79/1
Mička Z. see Plocek J.	697/3
Mikuriya M. see Yoshioka D.	765/3
Mikuriya M., Matsunami K., Synthesis and structural characterization of a series of transition metal complexes with a tetradentate Schiff-base ligand derived from salicylaldehyde and 2-(2-aminoethylamino)ethanol	773/3
Milker R. see Czech Z.	1015/4
Mirończyk A., Jankowski A., Chyla A., Ożyhar A., Dobryszycki P., The influence of ammonia, acetic acid and water vapour on the fluorescence of a 2-naphthol derivative in the Langmuir -Blodgett films	195/1
Miśkowiak B. see Kaczmarek E.	551/2
Miśta W. see Zaręba-Grodź I.	147/1
Modinos A., Stefanou N., Photonic crystals: a novel class of functional materials	877/4
Mokina E.V. see Burdukov A.B.	757/3
Mori W. see Ohmura T.	729/3
Mroziński J. see Żurowska B.	737/3
Müller G. see Ulatowska-Jarża A.	111/1
Müller S., Structure and stability of binary metal alloys. Precipitation treated via ab-initio calculations	347/2
Murawski, L. see Kościelska B.	93/1
Mys'kiv M. see Shkurenko O.	745/3
Nabatame T. see Ikeda M.	401/2
Najman J. see Sindut R.	123/1
Nara J., Geng W. T., Kino H., Kobayashi N., Ohno T., Theoretical study of electron transport properties of an organic molecule	383/2
Narkiewicz U., Kucharewicz I., Arabczyk W., Lenart S., Carburisation of nanocrystalline iron with ethylene	939/4
Narkiewicz U. see Guskos N.	1001/4
Narkiewicz U. see Bodziony T.	1055/4
Nauka K., Li Z., Kamins T. I., Surface photovoltaic effect in silicon. Novel applications for chemical and biological sensing	653/3
Niittykoski J. see Mazur P.	261/1
Niznansky D. see Kornak R.	87/1
Nižnanský D. see Plocek J.	697/3
Novikov V.V., Wojciechowski K.W., Komkova O.A., Thiel T., Anomalous relaxation in dielectrics. Equations with fractional derivatives	977/4
Novikov V.E. see Kruchinin S.P.	1009/4
Ohmura T., Mori W., Takei T., Ikeda T., Maeda A., Structure and magnetic behaviour of mono- nuclear and dinuclear Cu(II)/Zn(II) monocarboxylate-pyridine derivatives studied by crystal engineering	729/3
Ohno T. see Nara J.	383/2
Olejarczyk E. see Klonowski W.	607/3
Olszyna A. see Matysiak H.	803/3
Opalińska A. see Trefilova A. N.	247/1
Orkisz T. see Zarycka A.	167/1
Osyckza A. M. see Sindut R.	123/1
Ożyhar A. see Mirończyk A.	195/1
Pachla W. see Lewandowska M.	279/1
Pachla W. see Kulczyk M.	839/3

Padlyak B., Kornatowski J., Zadrożna G., Fabisiak K., Gutsze A. , EPR study of chromium centres in CrAPO-5 molecular sieves	1035/4
Pakiela Z. see Borysovská K.	521/2
Palubinskaitė D. see Sasnauskas V.	793/3
Pałucha S. see Brol P.	483/2
Pałucha S. see Raczyński P.	591/3
Pałucha S. see Dendzik Z.	467/2
Pałucha S., Brol P., Gburski Z., Computer simulation study of solid C ₆₀ doped by hydrogen cyanide molecules	491/2
Pandolfi A. see Mariani S.	509/2
Papadopoulos G.J. see Guskos N.	955/4
Parliński K., First-principles calculations of vibrational and thermodynamical properties of solids	357/2
Parola S. see Kessler V. G.	69/1
Paschalidis D.G. see Guskos N.	1029/4
Paściałek G., Chmielowiec J., Bujło P., New ceramic superionic materials for IT-SOFC applications	209/1
Paul C. J., Gopakumar S., Gopinathan Nair M. R., Segmented block copolymers of natural rubber and 1, 4-butanediol-toluene diisocyanate oligomers	227/1
Pavani R. see Mariani S.	509/2
Petridis D. see Guskos N.	971/4
Pfnür H., Zielasek V., Tegenkamp Ch., Block T., Kallassy Z., Geometrical and electronic properties of ultra thin epitaxial metal nanowires on flat and vicinal Si surfaces	861/4
Pielaszek R. see Michałski J.	79/1
Piszczek P., Grodzicki A., Richert M., Radtke A., Thermal properties of multinuclear Ti(IV) and Zr(IV) carboxylate derivatives using thermal analysis and variable temperature MS and IR methods	663/3
Piszczek P. see Szczęsny R.	671/3
Pivin J. C., Formation of nanostructures with a controlled size distribution in Si-based gels by ion irradiation	101/1
Plocek J., Hutlová A., Nižnanský D., Buršík J., Rehspringer J.-L., Mička Z., Preparation of CuFe ₂ O ₄ /SiO ₂ nanocomposite by the sol-gel method	697/3
Podbielska H. see Ulatowska-Jarża A.	111/1
Podrezov Yu. see Borysovská K.	521/2
Raczyński P., Dawid A., Gburski Z., Molecular dynamics study of the fullerene–cholesterol mixture cluster	441/2
Raczyński P., Dawid A., Sokół M., Gburski Z., Molecular dynamics of cholesterol in a thin film surrounding a carbon nanotube	429/2
Raczyński P., Pałucha S., Brol P., Gburski Z., Molecular dynamics of hypoxanthine-3-N-oxide near fullerene “sphere” – a computer simulation	591/3
Raczyński P., Gburski Z., The search for minimum potential energy structures of small atomic clusters. Application of the ant colony algorithm	599/3
Radhakrishna K. see Kulkarni S. N.	821/3
Radtke A. see Piszczek P.	663/3
Rehspringer J.-L. see Plocek J.	697/3
Reznikov V.A. see Burdukov A.B.	757/3
Richert M. see Piszczek P.	663/3
Robichaud J. see Djaoued Y.	15/1
Rogowski R.Z., The kinetics of nucleation in inhomogeneous media based on the classical Avrami model	961/4
Romanenko G.V. see Burdukov A.B.	757/3

Roschupkina G.I. see Burdukov A.B.	757/3
Roskosz S. see Szczotok A.	559/2
Roskosz S. see Stach S.	567/2
Roskosz S. see Stach S.	577/2
Roslaniec Z. see Guskos N.	971/4
Roslaniec Z. see Bodziony T.	1055/4
Ryabova N.Yu. see Bezkrovnyi A.	883/4
Rybicki J. see Bergmański G.	989/4
Rychcik-Leyk M. see Bergmański G.	989/4
Rychlowska-Himmel I. see Bezkrovnyi A.	883/4
Rychwalski R.W. see Licea-Jiménez L.	909/4
Rysiakiewicz-Pasek E. see Źelazowska E.	177/1
Sachdev V.K., Srivastava N.K., Kumar K., Mehra R.M., Pre-localized graphite/polyvinyl chloride composites for electromagnetic interference shielding in the X-band frequency range	269/1
Sagar P., Kumar M., Mehra R.M., Electrical and optical properties of sol-gel derived ZnO:Al thin films	685/3
Sasnauskas V., Palubinskaitė D., The synthesis of hydrosodalite and its use in mortar technology	793/3
Saxe P. see Wolf W.	365/2
Seisenbaeva G. A. see Kessler V. G.	69/1
Serena P.A. see García-Mochales P.	413/2
Shevchenko D.V. see Kokozay V.N.	287/1
Shkurenko O., Kinzhylbalo V., Lis T., Ciunik Z., Mys'kiv M., Coordination behaviour of N,N'-diallylpiperazinium(2+) and N-allylhexamethylenetetraminium in their crystalline π -complexes with ionic copper(I) salts	745/3
Shvedenkov Y.G. see Burdukov A.B.	757/3
Sikora A. see Zaręba-Grodź I.	147/1
Sindut R., Cholewa-Kowalska K., Najman J., Łączka M., Osyczka A. M., Leboy P., Bioactive glass coatings	123/1
Skrzypek M., P. Brol, Z. Gburski, Depolarized light scattering from a thin fullerene layer confined between graphite planes. Molecular dynamics study	447/2
Skrzypek M., Z. Gburski, Fullerene layers between graphite walls. A computer simulation	453/2
Skrzypek M. see Brol P.	483/2
Slyunayev V. see Borysovskaya K.	521/2
Sokół M. see Dawid A.	421/2
Sokół M. see Raczyński P.	429/2
Sokół M. see Kośmider M.	475/2
Sosnowski J., Dynamic vortex motion in anisotropic HTc superconductors	613/3
Sot R., Kurzydłowski K. J., Atomic modelling of point defects in B2-RuAl	407/2
Sot R., Kurzydłowski K. J., <i>Ab initio</i> calculations of elastic properties of Ni ₃ Al and TiAl under pressure	587/3
Spijksma G. I. see Kessler V. G.	69/1
Srivastava N.K. see Sachdev V.K.	269/1
Stach S., Cwajna J., Roskosz S., Cybo J., Multifractal description of fracture morphology: Quasi-3D analysis of fracture surface	567/2
Stach S., Cybo J., Cwajna J., Roskosz S., Multifractal description of fracture morphology. Full 3D analysis of a fracture surface	577/2
Stefanou N. see Modinos A.	877/4
Stępień R. see Klonowski W.	607/3
Sticht J. see Wolf W.	365/2
Stręk W. see Ulatowska-Jarża A.	111/1

Stręk W. see Zaręba-Grodź I.	147/1
Stręk W. see Mazur P.	261/1
Surdacka A. see Kaczmarek E.	551/2
Symeonides Ch.I. see Zardas G.E.	985/4
Szałkowska I. see Klonkowski A. M.	253/1
Szałkowska E., Masalski J., Kucharska B., Głuszek J., The effect of heat treatment of TiO ₂ coatings obtained by the sol-gel method on the corrosion resistance of chromium steel	137/1
Szczęsny R., Szymańska I., Piszczełek P., Dobrzańska L., Szłyk E., Chemical vapour deposition (CVD) of metallic layers prepared from silver carboxylates complexes with tertiary phosphines	671/3
Szczotok A., Roskosz S., New possibilities of light microscopy research resulting from digital recording of images	559/2
Szerling A. see Górska M.	221/1
Szłyk E. see Szczęsny R.	671/3
Szymańska I. see Szczęsny R.	671/3
Takei T. see Ohmura T.	729/3
Tegenkamp Ch. see Pfünfer H.	861/4
Thiel T. see Novikov V.V.	977/4
Toriumi A. see Ikeda M.	401/2
Trefilova A. N., Korionov I. V., Babushkin A. N., Łojkowski W., Opalińska A., Correlation between high-pressure electrical properties of ZrO ₂ and its crystallite sizes	247/1
Tyavlovskaya E. A. see Gurin V. S.	49/1
Tylus W. see Kornak R.	87/1
Typek J. see Bezkrzyni A.	883/4
Typek J. see Bodziony T.	899/4
Typek J. see Guskos N.	923/4
Typek J., Kostrzewska J., Guskos N., Synthesis and ESR study of (Tb _x Y _{1-x}) ₂ Cu ₂ O ₅ solid solutions	929/4
Typek J. see Guskos N.	955/4
Typek J. see Guskos N.	971/4
Typek J. see Guskos N.	1001/4
Typek J. see Guskos N.	1029/4
Typek J., Filipek E., Maryniak M., Guskos N., Magnetic resonance study of SbVO ₅ thermal decomposition products	1047/4
Typek J. see Bodziony T.	1055/4
Ulatowska-Jarża A., Bindig U., Podbielska H., Hołowacz I., Stręk W., Müller G., Eichler H. J., Spectroscopic properties of chlorophyll-based photosensitive dye entrapped in sol-gel fibre-optic applicators	111/1
Unnikrishnan N.V. see Mammen S.	707/3
Valant M. see Ambrožič M.	535/2
Vikhnin V. S., Maksimova T. I., Hanuza J., Molecular impurity ions as centres with charge transfer degrees of freedom. Influence on ferroelectric phase transitions	677/3
Wan X. see Kohno M.	375/2
Waszak D., Frąckowiak E., The effect of the reactive milling of graphite with boron nitride, tin and antimony on lithium insertion	813/3
Wawszczyk J., Methods for estimating the Hurst exponent. The analysis of its value for fracture surface research	585/2
Wejrzanowski T. see Michalski J.	79/1
Werndrup P. see Kessler V. G.	69/1
Wicikowski L. see Kościelska B.	93/1

Wimmer E., The growing importance of computations in materials science. Current capabilities and perspectives	325/2
Wimmer E. see Wolf W.	365/2
Wojciechowski K.W. see Novikov V.V.	977/4
Wolf W., Sticht J., Mavromaras A., Leblanc B., Saxe P., Wimmer E., Vibrational properties and thermochemistry from first principles	365/2
Wróbel R. see Bodziony T.	899/4
Wróbel R. see Guskos N.	1001/4
Wrzesińska H. see Górska M.	221/1
Yannakopoulos P.H. see Zardas G.E.	985/4
Yoshioka D., Handa M., Mikuriya M., Hiromitsu I., Kasuga K., Polynuclear chain complexes of ruthenium(II, III) pivalate dimers linked by 2,5-dimethyl- <i>N,N'</i> -dicyanobenzoquinonediimine, 1,4-benzoquinone and 1,4-naphthoquinone	765/3
Zadrożna G. see Padlyak B.	1035/4
Zardas G.E., Yannakopoulos P.H., Symeonides Ch.I., Csabay O., Euthymiou P.C., Persistent photoconductivity in a InP:Fe single layer structure at room temperature	985/4
Zaręba-Grodź I., Miśta W., Sikora A., Gotszalk T., Stręk W., Hermanowicz K., Maruszewski K., Textural properties of silica-based organic-inorganic polymer hybrid xerogels	147/1
Zarycka A., Lisińska-Czekaj A., Czuber J., Orkisz T., Ilczuk J., Czekaj D., The sol-gel synthesis of bismuth titanate electroceramic thin films	167/1
Zarycka A., R. Zachariasz, J. Ilczuk, A. Chrobak, Internal friction related to the mobility of domain walls in sol-gel derived PZT ceramics	159/1
Żelazowska E., Rysiakiewicz-Pasek E., Borczuch-Łączka M., Sol-gel derived Li-ion conducting polymer electrolytes	177/1
Zielasek V. see Pfünfer H.	861/4
Zolnierkiewicz G. see Guskos N.	923/4
Zolnierkiewicz G. see Bezkrzyni A.	883/4
Zschech E. see Jiang Le	643/3
Żurowska B., Mroziński J., Isomeric forms of Cu(quinoline-2-carboxylate) ₂ ·H ₂ O. Spectroscopic and magnetic properties	737/3

Key Word Index^{*}

ab initio calculations	357/2, 407/2, 587/3	CO ₂ -sand mould	821/3
ab initio method	325/2	computations	325/2, 365/2
ab initio	365/2	computer simulations	599/3
acrylic polymer	1015/4	conductance histograms	413/2
activation energy	707/3	conducting filler	269/1
adsorption	457/2, 467/2, 501/2	conductive electrolytes	177/1
aluminium alloys	279/1	conductivity percolation threshold	535/2
aluminium	279/1	confined water	421/2
amorphous	401/2	copper	757/3
Anderson localization	877/4	copper complexes	929/4, 955/4
anisotropic	221/1	copper(I) π -complexes	745/3
annealing	707/3	copper(II) complexes	737/3
anodic material	813/3	CrAPO-5	1035/4
ant colony algorithm	599/3	critical current	613/3
antiferromagnetic interaction	729/3	critical temperature	677/3
Avrami model	961/4	crystal structure	287/1, 757/3, 883/4
benzenedithiolate	383/2	crystalline silicon	653/3
bioactivity	123/1	cyanoadamantane	483/2
biomaterials	123/1	deep levels	625/3
Bi ₄ Ti ₃ O ₁₂	167/1	defect identification	625/3
borate glass	989/4	deformation structure	521/2
brucite	501/2	delamination	509/2
carbon black	61/1	density functional	891/4
carbon nanomaterial	915/4	density functional calculations	407/2, 587/3
carbon nanotubes	467/2	density functional theory	347/2
carbonaceous deposit	939/4	density profile	891/4
carburisation	939/4	dental hard tissue restoration	5512
cementite	1001/4	depolarized light scattering	447/2, 457/2
ceramic-elastomer composites	529/2	diallylpiperazinium(2+)	745/3
ceramic materials	613/3	dicyanobenzoquinonediimine	765/3
chaotic communications	1009/4	dielectric	977/4
charge transfer	677/3	dielectric relaxation	491/2
chemical and biological sensing	653/3	digital image analysis	5512
chemical vapour deposition	671/3	digital imaging	559/2
chlorophyll-based photosensitiser	111/1	dioximes	757/3
cholesterol	429/2, 441/2	direct methods	357/2
chromium centres	1035/4	direct synthesis	287/1
cluster	441/2, 591/3, 599/3	DLTS	625/3
cluster expansion	347/2	domain structure	159/1
		doped fullerene	491/2

*Page number/Issue number.

dye doped materials	41/1	germania	49/1
dynamic properties	475/2	<i>g</i> -factor	1035/4
edge dislocation	521/2	grain refinement	839/3
EDS microanalysis	5512	grain size and shape	79/1
electrical conductivity	93/1	graphite wall	453/2, 483/2
electrical properties	247/1	graphite	813/3
electrical resistivity	61/1	hard spheres	541/2
electron-beam damage	643/3	heat transfer coefficient	821/3
electron paramagnetic resonance	923/4	heterogeneous multiscale method	509/2
electron spin resonance	1047/4	heteropolynuclear complexes	287/1
electron transmission	383/2	heterostructure	221/1
electron-beam lithography	861/4	Hf _{1-x} Si _x O ₂	401/2
elemental metals	287/1	HfO ₂	401/2
enamel demineralization	5512	Hurst exponent	585/2
EPR	899/4, 1023/4, 1035/4	hybrid polymers	29/1
ESR	929/4	hydration	501/2
ethylene	939/4	hydrogen cyanide	491/2
Eu ³⁺ ions	253/1	hydrogen storage	915/4
exciton	7/1	hydratosodalite	793/3
extended defects	625/3	hydrostatic extrusion	279/1, 839/3
extended focal imaging	559/2	hypoxanthine-3-N-oxide	591/3
ferrimagnetism	375/2	icosahedral order	541/2
ferroelectric ceramics	159/1	image analysis software	559/2
ferroelectric phase transition	677/3	image analysis	79/1
ferroelectric switching	961/4	impedance	209/1
ferroelectric thin films	167/1	infiltration	529/2
ferromagnetic particles	87/1	inhomogeneous medium	961/4
ferromagnetic resonance	971/4	interaction-induced spectra	447/2
fibre optic applicator	111/1	interfacial heat transfer	821/3
Finite Element Method	529/2	internal friction	159/1
finite-size scaling	947/4	inverse-range-parameter	891/4
first principles	401/2	ion irradiation	101/1
first principles calculations	383/2	ionic conductivity	177/1, 209/1
first transition metal complex	773/3	IR spectroscopy	663/3
fissure sealants	5512	iron carbide	939/4, 1055/4
fluorescence	195/1	irradiation induced paramagnetic centre	1023/4
fractal	1009/4	Ising model	947/4
fractal dimension	607/3	isomerism	737/3
fractional derivative	977/4		
fracture	567/2, 577/2	Josephson junction	1009/4
fracture toughness	803/3		
fuel cells	209/1	Langmuir–Blodgett films	195/1
fullerene cluster	447/2	layer of copper sulfide	715/3
fullerene	441/2, 453/2, 591/3, 457/2	layered structure	535/2
gap size	821/3	lignosulphonic plasticiser	793/3
garnet	261/1	liquid and amorphous metals	541/2
geometric design	69/1	liquid natural rubber	227/1
		lithium ion	177/1

lithium-ion cell	813/3	nanosensors	607/3
low-dimensional nanoscale system	861/4	nanostructure	541/2
low- <i>k</i>	643/3	nanostructured Cu ₂ O	7/1
luminescence	261/1	nanostructures	453/2
luminescent materials	253/1	nanotube	457/2, 475/2
		nanowires	861/4
magnesium oxide	501/2	2-naphthol	195/1
magnetic measurements	697/3	nematic liquid crystal	961/4
magnetic nanoparticle	971/4	neodymium complex	1029/4
magnetic particles	87/1	neutron diffraction	883/4
magnetic properties	757/3	nickel	757/3
magnetic resonance	1001/4, 1055/4	nitridation	93/1
magnetism	737/3	non-linear dynamic fracture mechanics	509/2
magnetite	1055/4	nonlinearity	1009/4
mass spectrometry	663/3	nucleation	891/4
MD simulation	429/2	nucleation kinetics	961/4
melamine-formaldehyde	909/4		
membranes	209/1	optical band gap	707/3
mesa	221/1	optical materials	29/1
metal alloys	347/2	optical spectrum	1023/4
metal epitaxy	861/4	optical wave guide	877/4
metal oxides	287/1	order parameter	483/2
metallic nanocontacts	413/2	organic molecule	383/2
metallic nanowires	413/2	organically modified silicates	147/1
milling	813/3	organic-inorganic hybrid	177/1
modulus mapping	643/3	organic-inorganic polymer hybrid materials	147/1
molecular dynamics	401/2, 413/2, 457/2, 467/2 475/2, 483/2, 491/2, 591/3, 989/4	orientational order	535/2
molecular dynamics simulation	421/2, 441/2, 447/2, 453/2,	overlaps	567/2
molecular impurity ions	677/3	overlaps	577/2
mononuclear metal complex	729/3	oxide matrices	253/1
Monte-Carlo simulation	347/2		
mortar	793/3	particle shape	535/2
Mössbauer spectroscopy	697/3	percolation	61/1, 269/1
motorized stage	559/2	phase transformations	961/4
multifractal	567/2, 577/2	phase transition	15/1
multifunctional coating nanocomposite	909/4	phonons	357/2
N-allylhexamethylenetetraminium	745/3	photoacoustic spectroscopy	955/4, 1029/4
		photoconductivity	985/4
nanocomposite	697/3	photoelectron spectroscopy	985/4
nanocrystalline iron	939/4	photonic crystals	877/4
nanocrystalline sample	247/1	photopolymerisation	147/1
nanocrystalline structure	839/3	phthalocyanine	707/3
nanocrystalline titania films	15/1	point defects	625/3
nanocrystals	79/1, 261/1	polyamide	715/3
nanoindentation	643/3	Poly(ethylene glycol) (PEG)	15/1
nanomaterial synthesis	915/4	polymer complexes	765/3
nanomaterials	61/1, 101/1, 607/3	polymer composite	269/1
nanoparticle	49/1, 253/1, 1001/4	polythionic acid	715/3
		polyurethane	227/1
		porosity	147/1

potential energy	599/3	sol-gel coatings	111/1
potentiodynamic curves	137/1	sol-gel glasses	49/1
<i>p</i> -quinones	765/3	sol-gel method	123/1, 137/1, 159/1, 167/1
precipitation	347/2	sol-gel process	147/1
precursor chemistry	69/1	solid solutions	929/4
pressure-induced phase transition	247/1	solution stability	69/1
pressure-sensitive adhesive profile	1015/4 567/2, 577/2, 585/2	spectrum width	567/2, 577/2
property predictions	325/2, 365/2	spinel ferrite	697/3
PZT	159/1	stainless steel	137/1
quality assessment	607/3	stereology	79/1
quantum confinement	7/1	stereometry	567/2, 577/2
quantum Monte Carlo	375/2	structural order	253/1
quantum spin system	375/2	structural properties	475/2
quinolinecarboxylate	737/3	structural sensitivity	521/2
Raman monitoring	41/1	sulfurisation	715/3
Raman spectroscopy	15/1, 29/1	superconductivity	613/3
reactivity control	69/1	superparamagnetic particles	87/1
recombination and trapping	985/4	surface	567/2, 577/2, 643/3
redox properties	1035/4	surface barrier	653/3
relaxation	977/4	surface conductivity	861/4
residual stress	803/3	Surface Photovoltage Technique	653/3
residual stresses	529/2		
roughness	147/1	tape casting	803/3
Ru(II, III) dimer	765/3	terbium	261/1
SASD crystals	1023/4	tertiary phosphine	671/3
Schiff-base	773/3	thermal decomposition	663/3
segmented block copolymer	227/1	thin film	29/1, 429/2, 453/2
semiconductors	985/4	thin layer	421/2
severe plastic deformation	279/1, 839/3	Ti(IV) carboxylates	663/3
shape parameters	989/4	TiO ₂	137/1
shielding efficiency	269/1	titanium carbide	899/4
short-life emission	7/1	titanium nitride	899/4
short-range order	989/4	transmission electron microscopy	697/3
signal analysis	607/3	transport parameters	685/3
silica matrix	697/3	tunnelling microscopy	861/4
silicon	861/4	ultra-fine grained microstructure	279/1
silver	861/4	ultra-fine grains	839/3
silver carboxylate	671/3	vanadate	923/4
silver films	671/3	vanadate compounds	1047/4
simulation	483/2	velocity autocorrelation function	483/2
single walled carbon nanotube	429/2	vibrations in crystals	357/2
single-crystal X-ray analysis	729/3	vinylnitroxides	757/3
single-source precursor	69/1	Wang–Landau sampling	947/4
single-wall nanotube	909/4	water	421/2, 429/2, 501/2
sol-gel	7/1, 15/141/1, 61/1, 87/1, 93/1, 101/1, 147/1, 177/1, 685/3, 697/3	water cluster	475/2
		wavelet decomposition	585/2
		wet etching	221/1

X-ray diffraction	137/1	Yukawa fluid	891/4
X-ray studies	167/1		
XRD	15/1	zirconia	49/1
		zirconium dioxide	247/1
YAG	261/1	ZnO: Al, spin coating	685/3
Young's modulus	93/1	Zr(IV) carboxylates	663/3